

**SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

**Dencryl CM42-PRO**

Revision Date: 23.06.2025

Version 1.0

Print Date 23.06.2025

Date of last issue: -

**1 SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING****1.1 Product identifier**

Trade name : Dencryl CM42-PRO

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Product use : Resin for the manufacturing of acrylic floors

**1.3 Details of the supplier of the safety data sheet**

Company name of supplier : Dencoat International ApS  
E-mail: info@dencoat.com  
Website: www.dencoat.com  
Telephone : +45 88 44 22 27  
E-mail address of person responsible for the SDS : technical@dencoat.com

**1.4 Emergency telephone number**

In case of emergency call +45 88 44 22 27

**2 SECTION 2: HAZARDS IDENTIFICATION****2.1 Classification of the substance or mixture**

**Classification according to Regulation (EC) No 1272/2008**

Physical and chemical hazards:

**Flammable liquids, Hazard Category 2 [Flam. Liq. 2]**

Highly flammable liquid and vapour. (H225)

Health hazards

**Serious eye damage/eye irritation, Hazard Category 2 [Eye Irrit. 2]**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Dencryl CM42-PRO

Revision Date: 23.06.2025

Version 1.0

Print Date 23.06.2025

Date of last issue: -

Causes serious eye irritation. (H319)

**Sensitisation - Skin, hazard category 1, 1A, 1B [Skin Sens.1]**

May cause an allergic skin reaction. (H317)

**Skin corrosion/irritation, Hazard Category 2 [Skin Irrit. 2]**

Causes skin irritation. (H315)

**Specific target organ toxicity - Single exposure, Hazard Category 3, [STOT SE.3];**

May cause respiratory irritation. (H335)

Environmental hazards:

The mixture does not pose an environmental hazard. No environmental effects are known or anticipated under normal conditions of use.

### 2.2 Label elements

**Labelling according Regulation (EC) No 1272/2008**

**Pictogram**



**GHS02**

**GHS07**

**Signal word: Danger**

Substances which influenced classification

Methyl methacrylate

2-ethylhexyl acrylate

2-hydroxyethyl methacrylate

2,2'-ethylenedioxydiethyl dimethacrylate

**Hazard statement(s)**

H225 Highly flammable liquid and vapour.

H317 May cause an allergic skin reaction.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

**Precautionary statement(s):**

Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P261 Avoid breathing vapours.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

Disposal

P501 Dispose of contents/ container to an approved waste disposal plant.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**Ecological information:**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Dencryl CM42-PRO

Revision Date: 23.06.2025

Version 1.0

Print Date 23.06.2025

Date of last issue: -

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or high.

## 3 SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

### 3.1 Substances:

Not applicable.

### 3.2 Mixtures:

| Substance identifier                                                                              | Name of the substance                    | Weight fraction % | Classification in line with The Regulation (EC) No. 1272/2008 |                                                                                     |                                               |
|---------------------------------------------------------------------------------------------------|------------------------------------------|-------------------|---------------------------------------------------------------|-------------------------------------------------------------------------------------|-----------------------------------------------|
|                                                                                                   |                                          |                   | Signal Word Code(s)                                           | Hazard Class and Category Code(s)                                                   | Hazard Statement Code(s)                      |
| CAS No: 80-62-6<br>EC No: 201-297-1<br>Index No: 607-035-00-6<br>REACH No: 01-2119452498-28-xxxx  | <u>Methyl methacrylate [1,2]</u>         | 45<x<50           | GHS02<br>GHS07<br>Dgr                                         | Flam. Liq. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1                          | H225<br>H335<br>H315<br>H317                  |
| CAS No: 103-11-7<br>EC No: 203-080-7<br>Index No: 607-107-00-7<br>REACH No: 01-2119453158-37-xxxx | <u>2-ethylhexyl acrylate [1]</u>         | 20<x<25           | GHS07<br>Wng                                                  | STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1                                          | H335<br>H315<br>H317                          |
| CAS No: 868-77-9<br>EC No: 212-782-2<br>Index No: 607-124-00-X<br>REACH No: 01-2119490169-29-xxxx | <u>2-hydroxyethyl methacrylate [1]</u>   | 5<x<10            | GHS07<br>Wng                                                  | Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1                                       | H319<br>H315<br>H317                          |
| CAS No: 109-16-0<br>EC No: 203-652-6<br>Index No:<br>REACH No:                                    | 2,2'-ethylenedioxydiethyl dimethacrylate | ≤2                | GHS07<br>Wng                                                  | Skin Sens. 1B                                                                       | H317                                          |
| CAS No: 3077-12-1<br>EC No: 221-359-1<br>Index No: REACH No:                                      | 2,2'-[(4-methylphenyl)imino]bisethanol   | ≤1                | GHS07<br>Wng                                                  | Acute Tox. 4<br>Skin Irrit. 2<br>Eye Irrit. 2<br>STOT SE 3                          | H302<br>H315<br>H319<br>H335                  |
| CAS No: 108-88-3<br>EC No: 203-625-9<br>Index No: 601-021-00-3<br>REACH No: 01-2119471310-51-xxxx | <u>Toluene [1,2,3,4]</u>                 | <0.05             | GHS02<br>GHS08<br>GHS07<br>Dgr                                | Flam. Liq. 2<br>Repr. 2<br>Asp. Tox. 1<br>STOT RE 2 *<br>Skin Irrit. 2<br>STOT SE 3 | H225<br>H361d<br>H304<br>H373<br>H315<br>H336 |

[1] Substance with a specified national maximum allowable concentration in the workplace environment. See section 8.

[2] Substance with a specified European Union maximum allowable concentration in the workplace environment. See section 8.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Dencryl CM42-PRO

Revision Date: 23.06.2025

Version 1.0

Print Date 23.06.2025

Date of last issue: -

[3] Dangerous substances with restrictions (REACH, Annex XVII).

[4] Regulation on drug precursors.

Full H phrases are specified in point 16 hereof.

### 4 SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures

**Skin:** In case of contact with skin, immediately wash with plenty of water. Remove contaminated clothing. If skin irritation persists, seek medical advice.

**Eyes:** If the product comes into contact with the eyes, rinse with plenty of water while gently separating the eyelids. Continue rinsing for at least 15 minutes. If irritation occurs, consult a doctor.

**Inhalation:** If vapors are inhaled, ensure access to fresh air. If breathing is difficult, consult a doctor.

**Ingestion:** If swallowed, do not induce vomiting unless directed by a doctor. Contact a doctor or toxicologist.

#### 4.2 Most important symptoms and effects, both acute and delayed

**Skin Contact:** Immediate irritation, redness, itching. Delayed: Dermatitis with prolonged exposure.

**Ingestion:** Possible mouth and throat irritation. Delayed: Gastrointestinal distress or irritation.

**Inhalation:** Respiratory irritation, coughing, difficulty in breathing. Delayed: Potential long-term respiratory effects.

**Eye Contact:** Severe irritation, redness, tearing, pain. Delayed: Possible chronic eye irritation and damage.

#### 4.3 Indication of any immediate medical attention and special treatment needed

In case of severe symptoms or any doubt, always seek medical advice. Immediately provide the product's safety data sheet or label to the physician.

### 5 SECTION 5: FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings water spray, foam, dry extinguishing powder, carbon dioxide (CO<sub>2</sub>).

Unsuitable extinguishing media:

Jet water.

#### 5.2 Special hazards arising from the substance or mixture

Highly flammable liquid and vapour. The product may be flammable as an aerosol or at high temperatures. It may react with certain chemicals to form hazardous compounds. In case of fire, it may emit toxic gases such as carbon oxides. Store away from heat sources, sparks, open flame, and reactive substances.

#### 5.3 Advice for firefighters

Personal protection typical in case of fire. Do not stay in the fire zone without self-contained breathing apparatus and protective clothing resistant to chemicals. Do not let extinguishing water to reach drainage system, surface water and groundwater. Collect used extinguishing media.

### 6 SECTION 6: ACCIDENTAL RELEASE MEASURES

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Dencryl CM42-PRO

Revision Date: 23.06.2025

Version 1.0

Print Date 23.06.2025

Date of last issue: -

### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Limit access of bystanders to the accident area until proper cleaning operations are completed. In case of major leaks, isolate the affected area. Avoid direct contact with the released product. Avoid inhaling dust. Use personal protective equipment. Ensure adequate ventilation.

For emergency responders: Ensure that the removal of the accident and its consequences is carried out only by trained personnel. Use individual protection measures.

### 6.2 Environmental precautions

In the event of a large release, take appropriate steps to prevent environmental spread. Prevent the product from entering the sewer system. Notify relevant emergency services.

### 6.3 Methods and material for containment and cleaning up

Use absorbents such as sand, diatomaceous earth, or other appropriate materials to absorb spill. Avoid using water to dilute the product, which can increase the risk of contamination spread.

### 6.4 Reference to other sections

Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## 7 SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Work in a well-ventilated area. Avoid creating aerosols and vapors of the product. When handling the product, use precautions to prevent accidental spillage. In case of a spill, immediately take actions according to safety procedures. Regularly clean tools and equipment used to work with the product. Store the product away from areas where its presence may pose a health or safety risk.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in closed containers in a cool, dry place away from heat sources and sunlight. Avoid storing with incompatible materials (e.g., strong acids, bases, oxidizers). Regularly check containers for damage or leaks.

### 7.3 Specific end use(s)

No information on applications other than those listed in subsection 1.2.

## 8 SECTION 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION

### 8.1 Control parameters

| Methyl methacrylate [80-62-6] |                           |                      |                          |                      |
|-------------------------------|---------------------------|----------------------|--------------------------|----------------------|
|                               | Limit value - Eight hours |                      | Limit value - Short term |                      |
|                               | [ppm]                     | [mg/m <sup>3</sup> ] | [ppm]                    | [mg/m <sup>3</sup> ] |
| Austria                       | 50                        | 210                  | 100                      | 420                  |
| Belgium                       | 50                        | 208                  | 100[1]                   | 416 [1]              |
| Denmark                       | 25[1]                     | 102[1]               | 50[1.2]                  | 204 [1.2]            |
| European Union                | 50                        |                      | 100[1]                   |                      |
| Finland                       | 10                        | 42                   | 50[1]                    | 210[1]               |
| France                        | 50                        | 205                  | 100 [1]                  | 410 [1]              |
| Germany                       | (AGS) 50                  | 210                  | 100[1]                   | 420[1]               |
|                               | (DFG) 50                  | 210                  | 100[1]                   | 420[1]               |
| Hungary                       |                           | 210                  |                          | 210                  |
| Ireland                       | 50                        |                      | 100[1]                   |                      |
| Italy                         | 50                        |                      | 100[1]                   |                      |
| Latvia                        |                           | 10                   |                          |                      |
| Norway                        | 25                        | 100                  | 100[1]                   | 400[1]               |
| Poland                        |                           | 100                  |                          | 300                  |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Dencryl CM42-PRO

Revision Date: 23.06.2025

Version 1.0

Print Date 23.06.2025

Date of last issue: -

|                                                                                                                                                 |    |     |        |         |
|-------------------------------------------------------------------------------------------------------------------------------------------------|----|-----|--------|---------|
| Romania                                                                                                                                         | 50 | 205 | 100[1] | 410 [1] |
| Spain                                                                                                                                           | 50 | 100 | 100[1] | 416 [1] |
| Sweden                                                                                                                                          | 50 | 200 | 100[1] | 400[1]  |
| Switzerland                                                                                                                                     | 50 | 210 | 100    | 420     |
| The Netherlands                                                                                                                                 |    | 205 |        | 410     |
| United Kingdom                                                                                                                                  | 50 | 208 | 100    | 416     |
| <b>Remarks:</b>                                                                                                                                 |    |     |        |         |
| Belgium (1) 15 minutes average value                                                                                                            |    |     |        |         |
| Denmark (1) Skin (2) 15 minutes average value                                                                                                   |    |     |        |         |
| European Union (1) 15 minutes average value Bold-type: Indicative Occupational Exposure Limit Value (IOELV) ~ (for references see bibliography) |    |     |        |         |
| Finland (1) 15 minutes average value                                                                                                            |    |     |        |         |
| France Bold type: Restrictive statutory limit values (1) 15 minutes average value                                                               |    |     |        |         |
| Germany (AGS) (1) 15 minutes average value                                                                                                      |    |     |        |         |
| Germany (DFG) (1) 15 minutes average value                                                                                                      |    |     |        |         |
| Ireland (1) 15 minutes reference period                                                                                                         |    |     |        |         |
| Italy (1) 15 minutes average value                                                                                                              |    |     |        |         |
| Norway (1) 15 minutes average value                                                                                                             |    |     |        |         |
| Romania(1) 15 minutes average value                                                                                                             |    |     |        |         |
| Spain (1) 15 minutes average value                                                                                                              |    |     |        |         |
| Sweden(1) 15 minutes average value                                                                                                              |    |     |        |         |

| 2-Hydroxyethylmethacrylate [868-77-9] |   |                           |                   |                          |
|---------------------------------------|---|---------------------------|-------------------|--------------------------|
|                                       |   | Limit value - Eight hours |                   | Limit value - Short term |
|                                       |   | Ppm                       | mg/m <sup>3</sup> | ppm mg/m <sup>3</sup>    |
| Norway                                | 2 |                           | 11                |                          |

| 2-Ethylhexyl acrylate [103-11-7]                                               |       |                           |                       |                          |
|--------------------------------------------------------------------------------|-------|---------------------------|-----------------------|--------------------------|
|                                                                                |       | Limit value - Eight hours |                       | Limit value - Short term |
|                                                                                |       | ppm                       | mg/m <sup>3</sup> ppm | mg/m <sup>3</sup>        |
| Austria                                                                        |       | 10                        | 82                    | 10[1] 82[1]              |
| Germany                                                                        | (AGS) | 5[1]                      | 38[1]                 | 5[1.2] 38[1.2]           |
|                                                                                | (DFG) | 5[1]                      | 38[1]                 | 5[1.2] 38[1.2]           |
| Latvia                                                                         |       |                           | 1                     |                          |
| Poland                                                                         |       |                           | 35[1]                 | 70[1.2]                  |
| Switzerland                                                                    |       | 5                         | 38                    | 5 38                     |
| <b>Remarks</b>                                                                 |       |                           |                       |                          |
| Austria (1) Ceiling limit value                                                |       |                           |                       |                          |
| Germany (AGS) (1) Inhalable aerosol and vapour (2) 15 minutes reference period |       |                           |                       |                          |
| Germany (DFG) (1) Inhalable fraction and vapour (2) 15 minutes average value   |       |                           |                       |                          |
| Poland (1) Skin (2) 15 minutes average value                                   |       |                           |                       |                          |

| Toluene [108-88-3] |       |                           |                       |                          |
|--------------------|-------|---------------------------|-----------------------|--------------------------|
|                    |       | Limit value - Eight hours |                       | Limit value - Short term |
|                    |       | ppm                       | mg/m <sup>3</sup> ppm | mg/m <sup>3</sup>        |
| Austria            |       | 50                        | 190                   | 100 380                  |
| Belgium            |       | 20[1]                     | 77[1]                 | 100[1.2] 384 [1.2]       |
| Denmark            |       | 25[1]                     | 94[1]                 | 50[1.2] 188 [1.2]        |
| European Union     |       | 50                        | 192                   | 100[1] 384 [1]           |
| Finland            | 25    | 81                        | 100 (1)               | 380 (1)                  |
| France             | 20    | 76,8                      | 100 (1)               | 384 (1)                  |
| Germany            | (AGS) | 50 (1)                    | 190 (1)               | 200 (1)(2) 760 (1)(2)    |
|                    | (DFG) | 50 (1)                    | 190 (1)               | 100 (1)(2) 380 (1)(2)    |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Dencryl CM42-PRO

Revision Date: 23.06.2025

Version 1.0

Print Date 23.06.2025

Date of last issue: -

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |        |         |            |            |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|---------|------------|------------|
| Hungary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |        | 190     |            | 380        |
| Ireland                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 50     | 192     | 100 (1)    | 384 (1)    |
| Italy                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 50     |         |            | 192[1]     |
| Latvia                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 14     | 50      | 40 (1)     | 150 (1)    |
| Norway                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 25(1)  | 94(1)   |            |            |
| Poland                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |        | 100     |            | 200        |
| Romania                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 50     | 192     | 100 (1)    | 384 (1)    |
| Spain                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 50 (1) | 192 (1) | 100 (1)(2) | 384 (1)(2) |
| Sweden                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 50     | 192     | 100 (1)    | 384 (1)    |
| Switzerland                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |        | 150     |            | 384        |
| The Netherlands                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |        | 205     |            | 410        |
| United Kingdom                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 50     | 191     | 100 (1)    | 384(1)     |
| <b>Remarks:</b><br>Belgium (1) Additional indication "D" means that the absorption of the agent through the skin, mucous membranes or eyes is an important part of the total exposure. It can be the result of both direct contact and its presence in the air. (2) 15 minutes average value<br>Denmark (1) Skin (2) 15 minutes average value<br>European Union (1) 15 minutes average value Bold-type: Indicative Occupational Exposure Limit Value (IOELV) ~ (for references see bibliography)<br>Finland (1) 15 minutes average value<br>France Bold type: Restrictive statutory limit values Skin (1) 15 minutes average value<br>Germany (AGS) (1) 15 minutes average value (2) Skin<br>Germany (DFG) (1) Skin (2) 15 minutes average value<br>Ireland (1) 15 minutes reference period<br>Italy (1) Skin<br>Latvia (1) 15 minutes average value<br>Norway(1) Skin<br>Romania (1) 15 minutes average value<br>Spain (1) Skin (2) 15 minutes average value<br>Sweden(1) 15 minutes average value<br>United Kingdom (1) 15 minutes average value |        |         |            |            |

### Methyl methacrylate [80-62-6]

#### DNEL/PNEC

#### DNEL WORKER

348,4 mg/m<sup>3</sup> Inhalatory chronic - systemic effects

208 mg/m<sup>3</sup> Inhalatory chronic - local effects

416 mg/m<sup>3</sup> Inhalatory acute - local effects

13,67 mg/kg bw/day dermal chronic - systemic effects

#### PNEC

0,94 mg/l water intermittent release

0,94 mg/l freshwater short-term

0,094 mg/l marine water short-term

10 mg/l sewage treatment plant (STP) short-term

10,2 mg/kg freshwater sediment short-term

0,102 mg/kg marine sediment short-term

1,48 mg/kg soil short-term

## 8.2 Exposure controls

### 8.2.1 Appropriate engineering controls

Implement local or general ventilation systems to control air concentrations. Ensure that exposure levels comply with local safety standards.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Dencryl CM42-PRO

Revision Date: 23.06.2025

Version 1.0

Print Date 23.06.2025

Date of last issue: -

### 8.2.2 Individual protection measures, such as personal protective equipment

#### Respiratory Protection:

When there's a risk of dusts or aerosols, use protective masks with appropriate filters, preferably P2 or P3 type.

#### Eye Protection:

Use safety goggles or face shield with side shields to protect eyes from splashes. For work with large quantities of substances, full face protection is recommended.

#### Hand Protection:

Use chemical-resistant gloves, recommended materials include nitrile, latex, or other suitable barrier materials. Regularly check gloves for damage and replace as necessary.

### 8.3 Environmental exposure controls

Avoid releasing the product into the environment. Implement appropriate containment methods to prevent contamination of surface and groundwater. Store and dispose of the product in accordance with local environmental protection regulations.

## 9 SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

|                                                           |                                     |
|-----------------------------------------------------------|-------------------------------------|
| Physical state:                                           | Liquid                              |
| Colour:                                                   | Depending on the pigment used.      |
| Odour:                                                    | Characteristic                      |
| Melting point/freezing point:                             | Not available                       |
| Boiling point or initial boiling point and boiling range: | Not available                       |
| Flammability:                                             | Highly flammable liquid and vapour. |
| Lower and upper explosion limit:                          | Not available                       |
| Flash point:                                              | 10 °C [Methyl methacrylate]         |
| Auto-ignition temperature:                                | Not available                       |
| Decomposition temperature:                                | Not available                       |
| pH:                                                       | Not available                       |
| Kinematic viscosity:                                      | Not available                       |
| Solubility:                                               | Insoluble in water                  |
| Partition coefficient n-octanol/water (log value):        | Not available                       |
| Vapour pressure:                                          | Not available                       |
| Density and/or relative density:                          | Not available                       |
| Relative vapour density:                                  | Not available                       |
| Particle characteristics:                                 | Not available                       |

### 9.2 Other information

#### 9.2.1 Information with regard to physical hazard classes

No additional data.

#### 9.2.2 Other safety characteristics

No additional data.

## 10 SECTION 10: STABILITY AND REACTIVITY

### 10.1 Reactivity

The mixture does not exhibit excessive reactivity under standard use and storage conditions.

### 10.2 Chemical stability

The mixture is stable when stored and used according to the manufacturer's recommendations.



**SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

**Dencryl CM42-PRO**

Revision Date: 23.06.2025

Version 1.0

Print Date 23.06.2025

Date of last issue: -

**10.3 Possibility of hazardous reactions**

Hazardous reactions are not expected under normal use and storage conditions.

**10.4 Conditions to avoid**

Avoid extreme temperatures, open flame, and direct sunlight, which may affect the stability of the product.

**10.5 Incompatible materials**

Avoid contact with strong acids, bases, and strong oxidizers.

**10.6 Hazardous decomposition products**

In normal usage and storage conditions, no hazardous decomposition products are expected; however, in extreme situations such as a fire, the product may produce toxic gases such as carbon oxides, nitrogen oxides, or smoke.

**11 SECTION 11: TOXICOLOGICAL INFORMATION****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**Acute toxicity:

ATE MIX oral (mg/kg): >2000. Based on available data, the classification criteria are not met.

ATE MIX dermal (mg/kg): Not classified (no significant component).

ATE MIX inhalation (mg/l/4h): Not classified (no significant component).

The acute toxicity of the mixture (ATEmix) is calculated based on the appropriate conversion coefficient contained in Table 3.1.2 of Annex I to the CLP regulation, as amended.

Skin corrosion/irritation:

Causes skin irritation.

Serious eye damage/irritation:

Causes serious eye irritation.

Respiratory or skin sensitisation:

May produce an allergic reaction.

Germ cell mutagenicity:

Based on available information, classification criteria are not met.

Carcinogenicity:

Based on available information, classification criteria are not met.

Reproductive toxicity:

Based on available information, classification criteria are not met.

STOT-single exposure:

May cause respiratory irritation.

STOT-repeated exposure:

Based on available information, classification criteria are not met.

Aspiration hazard:

Based on available information, classification criteria are not met.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

Skin Contact: Immediate irritation, redness, itching. Delayed: Dermatitis with prolonged exposure.

Ingestion: Possible mouth and throat irritation. Delayed: Gastrointestinal distress or irritation.

Inhalation: Respiratory irritation, coughing, difficulty in breathing. Delayed: Potential long-term respiratory effects.

Eye Contact: Severe irritation, redness, tearing, pain. Delayed: Possible chronic eye irritation and damage.

**11.2 Information on other hazards****11.2.1 Endocrine disrupting properties**

The product does not contain substances included in the list established in accordance with Article 59 (1) for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 (3) or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0.1 % by weight.

**SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

**Dencryl CM42-PRO**

Revision Date: 23.06.2025

Version 1.0

Print Date 23.06.2025

Date of last issue: -

11.2.2 Other information

Not applicable to substances.

**12 SECTION 12: ECOLOGICAL INFORMATION****12.1 Toxicity****Toxicity of mixture**

The mixture does not pose a threat to the environment. Under normal usage conditions, no known or anticipated environmental effects are present. To minimize long-term global pollution, consider reducing the use of single-use products, participating in recycling efforts, and preventing the product from entering water, sewage, or soil.

**12.2 Persistence and degradability**

No data for the mixture.

**12.3 Bioaccumulative potential**

No data for the mixture.

**12.4 Mobility in soil**

Insoluble in water. The mobility of the substance depends on their hydrophilic and hydrophobic properties and abiotic and biotic conditions of soil, including its structures, climatic conditions, seasons and soil organisms, mainly (bacteria, fungi, algae, invertebrates).

**12.5 Results of PBT and vPvB assessment**

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

**12.6 Endocrine disrupting properties**

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**12.7 Other adverse effects**

The mixture is not classified as hazardous to the ozone layer. There should be considered the possibility of other harmful effects of the individual components of the mixture on the environment. (eg. the ability of disrupting endocrine, the impact of global warming potential).

**13 SECTION 13: DISPOSAL CONSIDERATIONS****13.1 Waste treatment methods**

Disposal methods for the product: dispose in accordance with applicable regulations. Do not introduce into drains.

Residues store in sealed, steel containers.

Waste code **16 03 05\*** organic wastes containing dangerous substances.

The product may be disposed of by incineration. Burning should be done in a location away from buildings and industrial facilities in a specialized furnace to burn waste chemicals.

Disposal methods for used packing: reuse/recycle/eliminate empty containers in accordance with the local legislation.

Only completely emptied packaging can be recycled.

Packaging of the product be disposed of as hazardous waste code **15 01 10\*** "Packaging containing residues of or contaminated by dangerous.

**Legal basis:** Directive 2008/98/EC, 94/62/EC.

**14 SECTION 14: TRANSPORT INFORMATION**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Dencryl CM42-PRO

Revision Date: 23.06.2025

Version 1.0

Print Date 23.06.2025

Date of last issue: -



### 14.1 UN number or ID number

### 14.2 UN number or ID number

ADR/RID/IMDG/IATA: **UN1866**

### 14.3 UN proper shipping name

ADR/RID/IMDG/IATA: RESIN SOLUTION

### 14.4 Transport hazard class (es)

ADR/RID/IMDG/IATA: 3

### 14.5 Packing group

ADR/RID/IMDG/IATA: II

### 14.6 Environmental hazards

ADR/RID/IMDG/IATA: Product is not classified as dangerous for the environment in accordance with transport regulations.

### 14.7 Special precautions for user

#### ADR Regulated 2023-2025

Classification code: F1  
 Tunnel restriction code: [D/E]  
 Transport category: 2  
 Limited Quantity: 5 L  
 Excepted quantities (EQ) E2  
 Packing instructions: P001.IBC02.R001  
 Special provisions [4.1.4] PP1  
 Mixed Packing: MP19  
 Special provisions [8.5]: S2; S20  
 Hazard identification No. 33

#### RID 2023-2025

Classification code: F1  
 Transport Category: 2  
 Limited Quantities (3.4.6): 5L  
 Excepted Quantities: E2  
 Special provisions [4.1.4] PP1  
 Mixed Packing: MP19  
 Packing instructions: P001.IBC02.R001  
 Express Parcels: CE7  
 Hazard Identification Number: 33

#### IMDG [41-42]

EmS Code: F-E, S-E  
 Stowage and hanging: B  
 Limited Quantities: 5L  
 Excepted Quantities: E2  
 Packing instructions: P001; IBC02

#### IATA [65]

IATA (Passenger and Cargo Aircraft)

Expected quantities except for

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Dencryl CM42-PRO

Revision Date: 23.06.2025

Version 1.0

Print Date 23.06.2025

Date of last issue: -

passenger and cargo aircraft (IATA): E1  
 Limited quantities for passenger  
 and cargo aircraft (IATA): Y341  
 Maximum net quantity for  
 limited quantities on passenger  
 and cargo aircraft (IATA): 1L  
 Packaging instructions for  
 passenger and cargo aircraft (IATA): 353  
 Maximum net quantity for limited  
 quantities on passenger  
 and cargo aircraft (IATA): 5L  
IATA (Cargo Aircraft Only)  
 Packaging instructions for  
 cargo aircraft only (IATA): 364  
 Maximum net quantity for  
 cargo aircraft only (IATA): 60L  
 Special provisions (IATA): A3  
 ERG code (IATA): 3L

### 14.8 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

## 15 SECTION 15: REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

|                         |                                                                                                                                                                                    |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2012/18/UE (Seveso III) | <b>P5c Flammable liquids, categories 2 or 3 not covered by P5a and P5b</b><br>Qualifying quantity (tonnes) for the application of lower and upper-tier requirements 5.000 / 50.000 |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                                                                                                                                                                                                                                     |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| <b>Dangerous substances with restrictions (REACH, Annex XVII)</b>                                                                                                                                                                                   |  |
| <b>48.Toluene [108-88-3]</b>                                                                                                                                                                                                                        |  |
| Shall not be placed on the market, or used, as a substance or in mixtures in a concentration equal to or greater than 0,1 % by weight where the substance or mixture is used in adhesives or spray paints intended for supply to the general public |  |

|                                      |            |
|--------------------------------------|------------|
| <b>Regulation on drug precursors</b> |            |
| <b>Toluene [108-88-3]</b>            | Category 3 |

#### Other legislation:

1. **1272/2008/EC** of the Regulation of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures - amending and repealing Directive 67/548/EEC and 1999/45/EC, and Regulation (EC) No 1907/2006.
2. **2018/669/UE** Commission Regulation (EU) 2018/669 of 16 April 2018 amending, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures Text with EEA relevance.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Dencryl CM42-PRO

Revision Date: 23.06.2025

Version 1.0

Print Date 23.06.2025

Date of last issue: -

3. **790/2009/EC** of 10 August 2009 amending, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures.
4. **2008/98/EC** Directive of the European Parliament and of the Council of 19 November 2008 on waste and repealing certain Directives.
5. **94/62/EC** Commission Directive 2013/2/EU of 7 February 2013;amending Annex I to Directive 94/62/EC of the European Parliament and of the Council on packaging and packaging waste.
6. **2015/830/EU** Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

### 15.2 Chemical safety assessment

The supplier has not assessed chemical safety It is not required for the mixture.

## 16 SECTION 16: OTHER INFORMATION

### Other sources of information:

IUCLID Data Bank (European Commission – European Chemicals Bureau).

ESIS – European Chemical Substances Information System (European Chemicals Bureau).

| Classification according to Regulation (EC) No 1272/2008 |      |                    |
|----------------------------------------------------------|------|--------------------|
| STOT SE 3                                                | H335 | calculation method |
| Skin Irrit. 2                                            | H315 | calculation method |
| Skin Sens.1                                              | H317 | calculation method |
| Eye Irrit 2                                              | H319 | calculation method |
| Flam. Liq. 2                                             | H225 | Flash point        |

### H (hazard) phrases specified in point 2 and 3 hereof:

|      |                                                                   |
|------|-------------------------------------------------------------------|
| H317 | May cause an allergic skin reaction.                              |
| H319 | Causes serious eye irritation.                                    |
| H335 | May cause respiratory irritation                                  |
| H225 | Highly flammable liquid and vapour.                               |
| H315 | Causes skin irritation.                                           |
| H302 | Harmful if swallowed.                                             |
| H361 | Suspected of damaging fertility or the unborn child.              |
| H304 | May be fatal if swallowed and enters airways.                     |
| H373 | May cause damage to organs through prolonged or repeated exposure |
| H336 | May cause drowsiness or dizziness.                                |

### Explanation of returns

|     |                                                                                                                                                                                                                       |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ADN | Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways) |
| ADR | Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)                                       |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)                                                                                                                |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Dencryl CM42-PRO

Revision Date: 23.06.2025

Version 1.0

Print Date 23.06.2025

Date of last issue: -

|           |                                                                                                                                                                             |
|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CLP       | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures                                                                          |
| CMR       | Carcinogenic, Mutagenic or toxic for Reproduction                                                                                                                           |
| DGR       | Dangerous Goods Regulations (see IATA/DGR)                                                                                                                                  |
| DMEL      | Derived Minimal Effect Level                                                                                                                                                |
| DNEL      | Derived No-Effect Level                                                                                                                                                     |
| EH40/2005 | Workplace exposure limits ( <a href="http://www.nationalarchives.gov.uk/doc/open-government-licence/">http://www.nationalarchives.gov.uk/doc/open-government-licence/</a> ) |
| EINECS    | European Inventory of Existing Commercial Chemical Substances                                                                                                               |
| ELINCS    | European List of Notified Chemical Substances                                                                                                                               |
| GHS "     | Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations                                                                    |
| IATA      | International Air Transport Association                                                                                                                                     |
| IATA/DGR  | Dangerous Goods Regulations (DGR) for the air transport (IATA)                                                                                                              |
| ICAO      | International Civil Aviation Organization                                                                                                                                   |
| IMDG      | International Maritime Dangerous Goods Code                                                                                                                                 |
| index No  | the Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008                                                    |
| MARPOL    | International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")                                                                           |
| NLP       | No-Longer Polymer                                                                                                                                                           |
| PBT       | Persistent, Bioaccumulative and Toxic                                                                                                                                       |
| PNEC      | Predicted No-Effect Concentration                                                                                                                                           |
| REACH     | Registration, Evaluation, Authorisation and Restriction of Chemicals                                                                                                        |
| RID       | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)     |
| STEL      | short-term exposure limit                                                                                                                                                   |
| SVHC      | Substance of Very High Concern                                                                                                                                              |
| TWA       | time-weighted average                                                                                                                                                       |
| VOC       | Volatile Organic Compounds                                                                                                                                                  |
| vPvB      | very Persistent and very Bioaccumulative                                                                                                                                    |
| WEL       | workplace exposure limit                                                                                                                                                    |

### Training

Prior to working with the product you should be familiar with safety rules for handling the chemicals, in particular take proper workplace training. **People associated with the transport of hazardous materials in accordance with ADR** should be adequately trained to perform their duties (general training, bench and safety).

The provided information is based on current data and the manufacturer's knowledge and experience regarding the product. The Safety Data Sheet serves as guidance for safe handling during transport, distribution, application, and storage, but it does not certify the product's quality. The information is specific to the named product and may not apply to its use with other materials or in different applications. Users are responsible for complying with all applicable standards and regulations and bear responsibility for any misuse of the information in the Safety Data Sheet or improper use of the product.