

**SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

**Dencryl P13**

Revision Date: 24.06.2025

Version 1.0

Print Date 24.06.2025

Date of last issue: -

**1 SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING****1.1 Product identifier**

Trade name : Dencryl P13

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Product use : Resin for the manufacturing of acrylic floors

**1.3 Details of the supplier of the safety data sheet**

Company name of supplier : Dencoat International ApS  
E-mail: info@dencoat.com  
Website: www.dencoat.com

Telephone : +45 88 44 22 27

E-mail address of person responsible for the SDS : technical@dencoat.com

**1.4 Emergency telephone number**

In case of emergency call +45 88 44 22 27

**2 SECTION 2: HAZARDS IDENTIFICATION****2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**Physical and chemical hazards:**Flammable liquids, Hazard Category 2 [Flam. Liq. 2]**

Highly flammable liquid and vapour. (H225)

Health hazards**Sensitisation - Skin, hazard category 1, 1A, 1B [Skin Sens.1]**

**SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

**Dencryl P13**

Revision Date: 24.06.2025

Version 1.0

Print Date 24.06.2025

Date of last issue: -

May cause an allergic skin reaction. (H317)

**Skin corrosion/irritation, Hazard Category 2 [Skin Irrit. 2]**

Causes skin irritation. (H315)

**Specific target organ toxicity - Single exposure, Hazard Category 3, [STOT SE.3];**

May cause respiratory irritation. (H335)

Environmental hazards:

The mixture does not pose an environmental hazard. No environmental effects are known or anticipated under normal conditions of use.

**2.2 Label elements**

**Labelling according Regulation (EC) No 1272/2008**

**Pictogram**

**GHS02****GHS07**

**Signal word: Danger**

Substances which influenced classification

Methyl methacrylate

2-ethylhexyl acrylate

2-hydroxyethyl methacrylate

Dibutyl maleate

**Hazard statement(s)**

H225 Highly flammable liquid and vapour.

H317 May cause an allergic skin reaction.

H315 Causes skin irritation.

H335 May cause respiratory irritation.

**Precautionary statement(s):**

Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P261 Avoid breathing vapours.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

Disposal

P501 Dispose of contents/ container to an approved waste disposal plant.

**2.3 Other hazards**

The substance does not meet the criteria for PBT or vPvB mixtures according to Annex XIII of the REACH Regulation (EC) No. 1907/2006.

**PBT substances** (Persistent, Bioaccumulative, and Toxic substances).

**vPvB substances** (very Persistent and very Bioaccumulative substances).

**Ecological information:**

The substance does not have endocrine-disrupting properties for the environment according to Article 57(f) of the REACH Regulation, Commission Regulation (EU) 2018/605, or Commission Delegated Regulation (EU) 2017/2100.

**Toxicological information:**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Dencryl P13

Revision Date: 24.06.2025

Version 1.0

Print Date 24.06.2025

Date of last issue: -

The substance does not have endocrine-disrupting properties according to Article 57(f) of the REACH Regulation, Commission.

### 3 SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

#### 3.1 Substances:

Not applicable.

#### 3.2 Mixtures:

Substance identifier	Name of the substance	Weight fraction %	Classification in line with The Regulation (EC) No. 1272/2008		
			Signal Word Code(s)	Hazard Class and Category Code(s)	Hazard Statement Code(s)
CAS No: 80-62-6 EC No: 201-297-1 Index No: 607-035-00-6 REACH No: 01-2119452498-28-xxxx	<u>Methyl methacrylate</u> [1,2]	45<x<50	GHS02 GHS07 Dgr	Flam. Liq. 2 STOT SE 3 Skin Irrit. 2 Skin Sens. 1	H225 H335 H315 H317
CAS No: 103-11-7 EC No: 203-080-7 Index No: 607-107-00-7 REACH No:	<u>2-ethylhexyl acrylate</u> [1]	20<x<25	GHS07 Wng	STOT SE 3 Skin Irrit. 2 Skin Sens. 1	H335 H315 H317
CAS No: 868-77-9 EC No: 212-782-2 Index No: 607-124-00-X REACH No: 01-2119490169-29-xxxx	<u>2-hydroxyethyl methacrylate</u> [1]	2<x<5	GHS07 Wng	Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1	H319 H315 H317
CAS No: 3077-12-1 EC No: 221-359-1 Index No: REACH No	2,2'-[(4-methylphenyl)imino]bisethanol	1<x<3	GHS07 Wng	Acute Tox. 4 Skin Irrit. 2 Eye Irrit. 2 STOT SE 3	H302 H315 H319 H335
CAS No: 105-76-0 EC No: 203-328-4 Index No: REACH No:	Dibutyl maleate	1<x<3	GHS09 GHS07 Wng	Skin Sens. 1 Aquatic Chronic 2	H317 H411

[1] Substance with a specified national maximum allowable concentration in the workplace environment. See section 8.

[2] Substance with a specified European Union maximum allowable concentration in the workplace environment. See section 8.

Full H phrases are specified in point 16 hereof.

### 4 SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures

Skin:

In case of contact with skin, immediately wash with plenty of water. Remove contaminated clothing. If skin irritation persists, seek medical advice.

**SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

**Dencryl P13**

Revision Date: 24.06.2025

Version 1.0

Print Date 24.06.2025

Date of last issue: -

**Eyes:** If the product comes into contact with the eyes, rinse with plenty of water while gently separating the eyelids. Continue rinsing for at least 15 minutes. If irritation occurs, consult a doctor.

**Inhalation:** If vapors are inhaled, ensure access to fresh air. If breathing is difficult, consult a doctor.

**Ingestion:** If swallowed, do not induce vomiting unless directed by a doctor. Contact a doctor or toxicologist.

**4.2 Most important symptoms and effects, both acute and delayed**

**Skin Contact:** Immediate irritation, redness, itching. Delayed: Dermatitis with prolonged exposure.

**Ingestion:** Possible mouth and throat irritation. Delayed: Gastrointestinal distress or irritation.

**Inhalation:** Respiratory irritation, coughing, difficulty in breathing. Delayed: Potential long-term respiratory effects.

**Eye Contact:** Severe irritation, redness, tearing, pain. Delayed: Possible chronic eye irritation and damage.

**4.3 Indication of any immediate medical attention and special treatment needed**

In case of severe symptoms or any doubt, always seek medical advice. Immediately provide the product's safety data sheet or label to the physician.

**5 SECTION 5: FIREFIGHTING MEASURES****5.1 Extinguishing media**

Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings water spray, foam, dry extinguishing powder, carbon dioxide (CO<sub>2</sub>).

Unsuitable extinguishing media:

Jet water.

**5.2 Special hazards arising from the substance or mixture**

Highly flammable liquid and vapour. The product may be flammable as an aerosol or at high temperatures. It may react with certain chemicals to form hazardous compounds. In case of fire, it may emit toxic gases such as carbon oxides. Store away from heat sources, sparks, open flame, and reactive substances.

**5.3 Advice for firefighters**

Personal protection typical in case of fire. Do not stay in the fire zone without self-contained breathing apparatus and protective clothing resistant to chemicals. Do not let extinguishing water to reach drainage system, surface water and groundwater. Collect used extinguishing media.

**6 SECTION 6: ACCIDENTAL RELEASE MEASURES****6.1 Personal precautions, protective equipment and emergency procedures**

For non-emergency personnel: Limit access of bystanders to the accident area until proper cleaning operations are completed. In case of major leaks, isolate the affected area. Avoid direct contact with the released product. Avoid inhaling dust. Use personal protective equipment. Ensure adequate ventilation.

For emergency responders: Ensure that the removal of the accident and its consequences is carried out only by trained personnel. Use individual protection measures.

**6.2 Environmental precautions**

In the event of a large release, take appropriate steps to prevent environmental spread. Prevent the product from entering the sewer system. Notify relevant emergency services.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Dencryl P13

Revision Date: 24.06.2025

Version 1.0

Print Date 24.06.2025

Date of last issue: -

### 6.3 Methods and material for containment and cleaning up

Use absorbents such as sand, diatomaceous earth, or other appropriate materials to absorb spill. Avoid using water to dilute the product, which can increase the risk of contamination spread.

### 6.4 Reference to other sections

Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## 7 SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Work in a well-ventilated area. Avoid creating aerosols and vapors of the product. When handling the product, use precautions to prevent accidental spillage. In case of a spill, immediately take actions according to safety procedures. Regularly clean tools and equipment used to work with the product. Store the product away from areas where its presence may pose a health or safety risk.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in closed containers in a cool, dry place away from heat sources and sunlight. Avoid storing with incompatible materials (e.g., strong acids, bases, oxidizers). Regularly check containers for damage or leaks.

### 7.3 Specific end use(s)

No information on applications other than those listed in subsection 1.2.

## 8 SECTION 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION

### 8.1 Control parameters

Methyl methacrylate [80-62-6]				
	Limit value - Eight hours		Limit value - Short term	
	[ppm]	[mg/m <sup>3</sup> ]	[ppm]	[mg/m <sup>3</sup> ]
Austria	50	210	100	420
Belgium	50	208	100[1]	416 [1]
Denmark	25[1]	102[1]	50[1.2]	204 [1.2]
European Union	50		100[1]	
Finland	10	42	50[1]	210[1]
France	50	205	100 [1]	410 [1]
Germany	(AGS) 50	210	100[1]	420[1]
	(DFG) 50	210	100[1]	420[1]
Hungary		210		210
Ireland	50		100[1]	
Italy	50		100[1]	
Latvia		10		
Norway	25	100	100[1]	400[1]
Poland		100		300
Romania	50	205	100[1]	410 [1]
Spain	50	100	100[1]	416 [1]
Sweden	50	200	100[1]	400[1]
Switzerland	50	210	100	420
The Netherlands		205		410
United Kingdom	50	208	100	416
<b>Remarks:</b>				

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Dencryl P13

Revision Date: 24.06.2025

Version 1.0

Print Date 24.06.2025

Date of last issue: -

Belgium	(1)	15 minutes average value			
Denmark	(1)	Skin (2)	15 minutes average value		
European Union	(1)	15 minutes average value	Bold-type: Indicative Occupational Exposure Limit Value (IOELV) ~ (for references see bibliography)		
Finland	(1)	15 minutes average value			
France	Bold type: Restrictive statutory limit values (1) 15 minutes average value				
Germany (AGS)	(1)	15 minutes average value			
Germany (DFG)	(1)	15 minutes average value			
Ireland	(1)	15 minutes reference period			
Italy	(1)	15 minutes average value			
Norway	(1)	15 minutes average value			
Romania	(1)	15 minutes average value			
Spain	(1)	15 minutes average value			
Sweden	(1)	15 minutes average value			
<b>2-Ethylhexyl acrylate [103-11-7]</b>					
<b>Austria</b>		<b>10</b>	<b>82</b>	<b>10[1]</b>	<b>82[1]</b>
Germany	(AGS)	5[1]	38[1]	5[1.2]	38[1.2]
	(DFG)	5[1]	38[1]	5[1.2]	38[1.2]
Latvia			1		
Poland			35[1]		70[1.2]
Switzerland		5	38	5	38
<b>Remarks</b>					
Austria (1) Ceiling limit value					
Germany (AGS) (1) Inhalable aerosol and vapour (2) 15 minutes reference period					
Germany (DFG) (1) Inhalable fraction and vapour (2) 15 minutes average value					
Poland (1) Skin (2) 15 minutes average value					
<b>2-Hydroxyethylmethacrylate [868-77-9]</b>					
		<b>Limit value - Eight hours</b>		<b>Limit value - Short term</b>	
		<b>Ppm</b>	<b>mg/m<sup>3</sup></b>	<b>ppm</b>	<b>mg/m<sup>3</sup></b>
Norway	2		11		

### Methyl methacrylate [80-62-6]

#### DNEL/PNEC

#### DNEL WORKER

348,4 mg/m<sup>3</sup> Inhalatory chronic - systemic effects

208 mg/m<sup>3</sup> Inhalatory chronic - local effects

416 mg/m<sup>3</sup> Inhalatory acute - local effects

13,67 mg/kg bw/day dermal chronic - systemic effects

#### PNEC

0,94 mg/l water intermittent release

0,94 mg/l freshwater short-term

0,094 mg/l marine water short-term

10 mg/l sewage treatment plant (STP) short-term

10,2 mg/kg freshwater sediment short-term

0,102 mg/kg marine sediment short-term

1,48 mg/kg soil short-term

## 8.2 Exposure controls

### 8.2.1 Appropriate engineering controls

Implement local or general ventilation systems to control air concentrations. Ensure that exposure levels comply with local safety standards.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Dencryl P13

Revision Date: 24.06.2025

Version 1.0

Print Date 24.06.2025

Date of last issue: -

### 8.2.2 Individual protection measures, such as personal protective equipment

#### Respiratory Protection:

When there's a risk of dusts or aerosols, use protective masks with appropriate filters, preferably P2 or P3 type.

#### Eye Protection:

Use safety goggles or face shield with side shields to protect eyes from splashes. For work with large quantities of substances, full face protection is recommended.

#### Hand Protection:

Use chemical-resistant gloves, recommended materials include nitrile, latex, or other suitable barrier materials. Regularly check gloves for damage and replace as necessary.

### 8.3 Environmental exposure controls

Avoid releasing the product into the environment. Implement appropriate containment methods to prevent contamination of surface and groundwater. Store and dispose of the product in accordance with local environmental protection regulations.

## 9 SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	Depending on the pigment used.
Odour:	Characteristic
Melting point/freezing point:	Not available
Boiling point or initial boiling point and boiling range:	Not available
Flammability:	Highly flammable liquid and vapour.
Lower and upper explosion limit:	Not available
Flash point:	10 °C [Methyl methacrylate]
Auto-ignition temperature:	Not available
Decomposition temperature:	Not available
pH:	Not available
Kinematic viscosity:	Not available
Solubility:	Insoluble in water
Partition coefficient n-octanol/water (log value):	Not available
Vapour pressure:	Not available
Density and/or relative density:	Not available
Relative vapour density:	Not available
Particle characteristics:	Not available

### 9.2 Other information

#### 9.2.1 Information with regard to physical hazard classes

No additional data.

#### 9.2.2 Other safety characteristics

No additional data.

## 10 SECTION 10: STABILITY AND REACTIVITY

### 10.1 Reactivity

The mixture does not exhibit excessive reactivity under standard use and storage conditions.

### 10.2 Chemical stability

The mixture is stable when stored and used according to the manufacturer's recommendations.

**SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

**Dencryl P13**

Revision Date: 24.06.2025

Version 1.0

Print Date 24.06.2025

Date of last issue: -

**10.3 Possibility of hazardous reactions**

Hazardous reactions are not expected under normal use and storage conditions.

**10.4 Conditions to avoid**

Avoid extreme temperatures, open flame, and direct sunlight, which may affect the stability of the product.

**10.5 Incompatible materials**

Avoid contact with strong acids, bases, and strong oxidizers.

**10.6 Hazardous decomposition products**

In normal usage and storage conditions, no hazardous decomposition products are expected; however, in extreme situations such as a fire, the product may produce toxic gases such as carbon oxides, nitrogen oxides, or smoke.

**11 SECTION 11: TOXICOLOGICAL INFORMATION****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**Acute toxicity:

ATE MIX oral (mg/kg): > 2000 Based on available data, classification criteria are not met.

The acute toxicity of the mixture (ATEmix) was calculated based on the relevant conversion factor provided in Table 3.1.2 of Annex I to the CLP Regulation, as amended.

Skin corrosion/irritation:

Causes skin irritation.

Serious eye damage/irritation :

Based on available information, classification criteria are not met.

Respiratory or skin sensitisation:

May produce an allergic reaction.

Germ cell mutagenicity:

Based on available information, classification criteria are not met.

Carcinogenicity:

Based on available information, classification criteria are not met.

Reproductive toxicity:

Based on available information, classification criteria are not met.

STOT-single exposure:

May cause respiratory irritation.

STOT-repeated exposure:

Based on available information, classification criteria are not met.

Aspiration hazard:

Based on available information, classification criteria are not met.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

Skin Contact: Immediate irritation, redness, itching. Delayed: Dermatitis with prolonged exposure.

Ingestion: Possible mouth and throat irritation. Delayed: Gastrointestinal distress or irritation.

Inhalation: Respiratory irritation, coughing, difficulty in breathing. Delayed: Potential long-term respiratory effects.

Eye Contact: Severe irritation, redness, tearing, pain. Delayed: Possible chronic eye irritation and damage.

**11.2 Information on other hazards****11.2.1 Endocrine disrupting properties**

The product does not contain substances included in the list established in accordance with Article 59 (1) for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 (3) or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0.1 % by weight.

**11.2.2 Other information**

Not applicable to substances.

**SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

**Dencryl P13**

Revision Date: 24.06.2025

Version 1.0

Print Date 24.06.2025

Date of last issue: -

**12 SECTION 12: ECOLOGICAL INFORMATION****12.1 Toxicity****Toxicity of mixture**

The mixture does not pose a threat to the environment. Under normal usage conditions, no known or anticipated environmental effects are present. To minimize long-term global pollution, consider reducing the use of single-use products, participating in recycling efforts, and preventing the product from entering water, sewage, or soil.

**12.2 Persistence and degradability**

No data for the mixture.

**12.3 Bioaccumulative potential**

No data for the mixture.

**12.4 Mobility in soil**

Insoluble in water. The mobility of the substance depends on their hydrophilic and hydrophobic properties and abiotic and biotic conditions of soil, including its structures, climatic conditions, seasons and soil organisms, mainly (bacteria, fungi, algae, invertebrates).

**12.5 Results of PBT and vPvB assessment**

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

**12.6 Endocrine disrupting properties**

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**12.7 Other adverse effects**

The mixture is not classified as hazardous to the ozone layer. There should be considered the possibility of other harmful effects of the individual components of the mixture on the environment. (eg. the ability of disrupting endocrine , the impact of global warming potential).

**13 SECTION 13: DISPOSAL CONSIDERATIONS****13.1 Waste treatment methods**

Disposal methods for the product: dispose in accordance with applicable regulations. Do not introduce into drains. Residues store in sealed, steel containers.

Waste code **16 03 05\*** organic wastes containing dangerous substances.

The product may be disposed of by incineration. Burning should be done in a location away from buildings and industrial facilities in a specialized furnace to burn waste chemicals.

Disposal methods for used packing: reuse/recycle/eliminate empty containers in accordance with the local legislation. Only completely emptied packaging can be recycled.

Packaging of the product be disposed of as hazardous waste code **15 01 10\*** "Packaging containing residues of or contaminated by dangerous.

**Legal basis:** Directive 2008/98/EC, 94/62/EC.

**14 SECTION 14: TRANSPORT INFORMATION**

The mixture is subject to the regulations concerning the transport of dangerous goods as specified in ADR (road transport), RID (rail transport), ADN (inland waterway transport), IMDG (maritime transport), and ICAO/IATA (air transport)

**SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

**Dencryl P13**

Revision Date: 24.06.2025

Version 1.0

Print Date 24.06.2025

Date of last issue: -

---

**14.1 UN number or ID number**ADR/RID/IMDG/IATA: **UN1866****14.2 UN proper shipping name**

ADR/RID/IMDG/IATA: RESIN SOLUTION

**14.3 Transport hazard class (es)**

ADR/RID/IMDG/IATA: 3

**14.4 Packing group**

ADR/RID/IMDG/IATA: II

**14.5 Environmental hazards**

ADR/RID/IMDG/IATA: Product is not classified as dangerous for the environment in accordance with transport regulations.

**14.6 Special precautions for user****ADR Regulated**

Classification code: F1  
Tunnel restriction code: [D/E]  
Transport category: 2  
Packing instructions: P001.IBC02.R001  
Limited Quantity: 5 L  
Excepted quantities (EQ): E2  
Special provisions [4.1.4]: PP1  
Mixed Packing: MP19  
Special provisions [8.5]: S2; S20  
Hazard identification No.: 33

**RID**

Classification code: F1  
Transport Category: 2  
Packing instructions: P001.IBC02.R001  
Limited Quantities (3.4.6): 5L  
Excepted Quantities: E2  
Special provisions [4.1.4]: PP1  
Mixed Packing: MP19  
Express Parcels: CE7  
Hazard Identification Number: 33

**IMDG**

EmS Code: F-E, S-E  
Stowage and hanging: B  
Limited Quantities: 5L  
Excepted Quantities: E2  
Packing instructions: P001; IBC02

**IATA**IATA (Passenger and Cargo Aircraft)

Excepted quantities except for passenger and cargo aircraft (IATA): E1  
Limited quantities for passenger and cargo aircraft (IATA): Y341  
Maximum net quantity for limited quantities on passenger and cargo aircraft (IATA): 1L

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Dencryl P13

Revision Date: 24.06.2025

Version 1.0

Print Date 24.06.2025

Date of last issue: -

Packaging instructions for passenger and cargo aircraft (IATA): 353

Maximum net quantity for limited quantities on passenger and cargo aircraft (IATA): 5L

IATA (Cargo Aircraft Only)

Packaging instructions for cargo aircraft only (IATA): 364

Maximum net quantity for cargo aircraft only (IATA): 60L

Special provisions (IATA): A3

ERG code (IATA): 3L

### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

## 15 SECTION 15: REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

2012/18/UE (Seveso III)	<b>P5c Flammable liquids, categories 2 or 3 not covered by P5a and P5b</b> Qualifying quantity (tonnes) for the application of lower and upper-tier requirements 5.000 /50.000
-------------------------	---

Other legislation:

**Regulation (EC) No 1907/2006** concerning the Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC, and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC, and 2000/21/EC.

**Commission Regulation (EU) 2020/878** of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACH).

**Regulation (EC) No 648/2004** of the European Parliament and of the Council of 31 March 2004 on detergents.

**Directive 94/62/EC** of the European Parliament and of the Council of 20 December 1994 on packaging and packaging waste, as amended.

**Regulation (EC) No 850/2004** of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC (as amended by subsequent regulations).

**Regulation (EC) No 1013/2006** of the European Parliament and of the Council of 14 June 2006 on shipments of waste (Waste Shipment Regulation).

**Regulation (EU) No 649/2012** of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals (PIC Regulation).

**Regulation (EC) No 1223/2009** of the European Parliament and of the Council of 30 November 2009 on cosmetic products.

**Regulation (EC) No 1272/2008** on classification, labelling, and packaging of substances and mixtures (CLP), including the latest Adaptations to Technical Progress (ATPs).

**Directive 2012/19/EU** of the European Parliament and of the Council of 4 July 2012 on waste electrical and electronic equipment (WEEE Directive).

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Dencryl P13

Revision Date: 24.06.2025

Version 1.0

Print Date 24.06.2025

Date of last issue: -

**Regulation (EU) No 2019/1021** of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants (recasting Regulation (EC) No 850/2004).

**Regulation (EU) 2019/1148** of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

**Act of 13 April 2016** on the safety of trading in explosives precursors (Journal of Laws 2016, item 669; consolidated text: Journal of Laws 2019, item 994).

**Act of 25 February 2011** on chemical substances and their mixtures (Journal of Laws 2011, No 63, item 322; consolidated text: Journal of Laws 2022, item 1816).

Act of 13 June 2013 on the management of packaging and packaging waste (consolidated text: Journal of Laws 2024, item 927).

**Act of 14 December 2012** on waste (consolidated text: Journal of Laws 2023, item 1587).

**Regulation of the Minister of Economy of 5 November 2009** on specific requirements for aerosol products (Journal of Laws 2009 No 188, item 1460 as amended).

**Notice of the Minister of Entrepreneurship and Technology of 15 April 2019** on the announcement of the consolidated text of the Regulation of the Minister of Economy on specific requirements for aerosol products (Journal of Laws 2019, item 975).

**Act on the transport of dangerous goods of 19 August 2011** (Journal of Laws No 227, item 1367; consolidated text: Journal of Laws 2022, item 2147).

**Government Statement of 13 March 2023** on the entry into force of amendments to Annexes A and B to the European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), done at Geneva on 30 September 1957 (Journal of Laws 2023, item 891).

### 15.2 Chemical safety assessment

The supplier has not assessed chemical safety. It is not required for the mixture.

## 16 SECTION 16: OTHER INFORMATION

### Other sources of information:

IUCLID Data Bank (European Commission – European Chemicals Bureau).

ESIS – European Chemical Substances Information System (European Chemicals Bureau).

The provided information is based on current data and the manufacturer's knowledge and experience regarding the product. The Safety Data Sheet serves as guidance for safe handling during transport, distribution, application, and storage, but it does not certify the product's quality. The information is specific to the named product and may not apply to its use with other materials or in different applications. Users are responsible for complying with all applicable standards and regulations and bear responsibility for any misuse of the information in the Safety Data Sheet or improper use of the product.

Classification according to Regulation (EC) No 1272/2008		
STOT SE 3	H335	calculation method
Skin Irrit. 2	H315	calculation method
Skin Sens.1	H317	calculation method
Flam. Liq. 2	H225	Flash point

### **H (hazard) phrases specified in point 2 and 3 hereof:**

H317	May cause an allergic skin reaction.
Skin Sens. 1	Sensitisation — Skin, hazard category 1, 1A, 1B.
H319	Causes serious eye irritation

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Dencryl P13

Revision Date: 24.06.2025

Version 1.0

Print Date 24.06.2025

Date of last issue: -

Eye Irrit. 2	Serious eye damage/eye irritation, Hazard Category 2.
H335	May cause respiratory irritation.
STOT SE 3	Specific target organ toxicity — Single exposure, Hazard Category 3, Respiratory tract irritation.
H225	Highly flammable liquid and vapour.
Flam. Liq. 2	Flammable liquids, Hazard Category 2.
H315	Causes skin irritation
Skin Irrit. 2	Skin corrosion/irritation, Hazard Category 2
H302	Harmful if swallowed .
Acute Tox 4	Acute toxicity (oral), Hazard Category 4

### Explanation of returns

ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EH40/2005	Workplace exposure limits ( <a href="http://www.nationalarchives.gov.uk/doc/open-government-licence/">http://www.nationalarchives.gov.uk/doc/open-government-licence/</a> )
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
GHS "	Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	the Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	short-term exposure limit
SVHC	Substance of Very High Concern

**SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

**Dencryl P13**

Revision Date: 24.06.2025

Version 1.0

Print Date 24.06.2025

Date of last issue: -

---

TWA	time-weighted average
VOC	Volatile Organic Compounds
vPvB	very Persistent and very Bioaccumulative
WEL	workplace exposure limit

**Training**

Prior to working with the product you should be familiar with safety rules for handling the chemicals, in particular take proper workplace training. **People associated with the transport of hazardous materials in accordance with ADR** should be adequately trained to perform their duties (general training, bench and safety).